

HMA WGEO – Rapid Alert Form

Counterfeit or illegal product found in the illegal supply chain

Reference:	
Date:	Time: Initials:
Please complete sections 1 to 5 providing as much information as possible.	
1. REPORTING PERSON	
Name:	Position:
Organisation:	
Address:	
Telephone No: (Direct) +	Ext:
e-mail address:	
2. PRODUCT DETAILS	
Product name: Norditropin® NordiLet® 10 mg/1.5 ml	
Manufacturer: Novo Nordisk A/S	
Supplier:	
Legal status: Banned <input type="checkbox"/> Counterfeit <input type="checkbox"/> Unlicensed <input type="checkbox"/> Stolen <input checked="" type="checkbox"/>	
Dosage form: Pen	
Strength: 10 mg/1.5 ml	
Batch / lot no: GC70309 Is batch number genuine: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
If yes to the above, advise batch destination country: South Korea	
Expiry date: 12/2019	
Language of packaging: Korean	
Date of discovery:	
Details of discovery: Packaging materials found in forests in the Danish cities Køge, Avnstrup and Ringsted. Novo Nordisk A/S has investigated the materials and found that they are genuine, produced by Novo Nordisk. It seems that the cartons have been opened and the pens removed. The investigation further concluded that the empty cartons and packaging leaflets might be related to a theft in Copenhagen Seaport where 26 shipper boxes containing a total of 3.888 Norditropin® NordiLet® 10 mg/1.5 ml pens were stolen from a shipping container. The	

stolen pens have been packed in cartons and with labels approved for the South Korean market in Korean language. There are no indications that the stolen pens should be available in the legitimate supply chain. The theft has been reported to Danish Police.
Analysed: YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>
If yes, result of analysis:

3. DISTRIBUTION METHOD	
Internet: YES <input type="checkbox"/> / NO <input type="checkbox"/>	
Internet:	Non internet, advise full details:
URL:	
Website address:	
Other details:	
Currency of payment:	
Has product reached patients/consumers?	
4. RISK TO PUBLIC HEALTH	
Adverse reactions: YES <input type="checkbox"/> / NO <input type="checkbox"/>	
If yes, please advise details:	
Medical assessment details:	
5. NEED FOR PUBLICITY	
Are you making a public statement? YES <input type="checkbox"/> / NO <input checked="" type="checkbox"/>	
Are you issuing a press release? YES <input type="checkbox"/> / NO <input checked="" type="checkbox"/>	
Are you recalling product? YES <input type="checkbox"/> / NO <input checked="" type="checkbox"/>	
If yes to any of the above, when do you intend to take action?	
6. DISSEMINATION	
Are you content for this Rapid Alert to be shared outside WGEO membership? YES <input checked="" type="checkbox"/> / NO <input type="checkbox"/> (please see below)	
If yes, please specify which of the below you are content for this to be shared with (you may tick more than 1 box)	
Law Enforcement <input checked="" type="checkbox"/> Industry Security <input checked="" type="checkbox"/> Trade Associations <input checked="" type="checkbox"/>	